

# Vetrosmart



Intelligent **Cleaning**

*Glass always clean*

Treatment for glass surfaces which protects and reduces the limescale and dirt deposits

# Vetrosmart

Solution of high repellency to water and other substances for glass (indoor and outdoor static glass )

**Shower screens, windows, mirrors or other glass surfaces**

SHOWER SCREENS, WINDOWS AND MIRRORS ALWAYS CLEAN!



Product with properties of high repellency to water and other substances:

- It creates a protective film that repels liquids, facilitating their removal from the treated glass.
- It avoids lime and dirt accumulation facilitating its removal by the drag action of water.
- It is a surface treatment for glass that protects and minimizes dirt and lime scale deposits.

# Vetrosmart

## PROPERTIES

**EASY TO CLEAN**, it reduces cleaning times substantially.

**KEEP SURFACES CLEAN FOR A LONGER TIME**, maintaining the original appearance.

**CERTIFIED DURABILITY OF 10 YEARS**, for professional application in new glass.

**EASY TO APPLY PRODUCT**, without the necessity of special safety measures.

**HIGH FEATURES AND HIGH PERFORMANCE**: 50-60 m<sup>2</sup>/L.

**ULTRA-FAST DRYING AFTER THE TREATMENT**, avoiding cumbersome spots on further handling.

**AFTER APPLICATION**, the coating results totally transparent, not modifying at all the aesthetic conditions of the glass.

## Your glass ready in a minute!



# Vetrosmart

## HOW TO USE

- **Before each use**, shake the container vigorously.
- **The surface must be clean and dry**, without any possible lime stains, dirt or traces of detergents .

### ● Methods of application:

#### 1- Manual Spray.

- Spread it helping yourself with a paper, microfiber cloth or similar to distribute the product evenly through the area, ensuring that the entire surface is treated.
- Polish the surface with a dry cloth removing any visible trace of product and ensuring that the glass is totally transparent.

**Important:** Avoid the use of cloths that leave fabric traces while used.

Carry out the application in working areas with an appropriate size to avoid an excessive drying of the product which difficult its removal.

#### 2- Airless.

- Apply the product over the surface homogeneously, either in a one layer of higher amount of product or in two thinner layers.

## TECNADIS SOLUTIONS - OTHER FINAL USE NANOPRODUCTS

### AQUAHIELD Ultimate

Hydrophobic product for facades made of porous materials



### TECNADIS PRS PERFORMANCE

Hydrophobic and oleophobic product for floors or pavements and facades.



### Factory:

TECNOLOGIA NAVARRA DE NANOPRODUCTOS S.L  
TECNAN

Área Industrial Perguita, Calle A Nº1  
31210 Los Arcos – Navarra - Spain  
Tel.: +34 948 640 318  
Fax: +34 948 640 319

[tecnan@tecnan-nanomat.es](mailto:tecnan@tecnan-nanomat.es)  
[www.tecnan-nanomat.es](http://www.tecnan-nanomat.es)

**TECNAN**  
TECNOLOGIA NAVARRA DE NANOPRODUCTOS S.L.

### Distributor UK:

NANO LIQUITECH SOLUTIONS LTD  
105-107 King Street

SK16 4NQ Dukinfield (Cheshire) - UK  
Tel.: 07785 915782/ 07999 960968

[sales@nanoliquitecholutionsltd.co.uk](mailto:sales@nanoliquitecholutionsltd.co.uk)  
[info@nanoliquitecholutionsltd.co.uk](mailto:info@nanoliquitecholutionsltd.co.uk)  
[www.nanoliquitecholutionsltd.co.uk](http://www.nanoliquitecholutionsltd.co.uk)

  
NANO LIQUITECH SOLUTIONS